

PRODUKTBLAD

Action 15 47Hz-20kHz 8 Ohm



SAC Nordic AB • Prästtorpsvägen 16 • S-341 51 Lagan • SWEDEN • www.sacnordic.com

Safe Security Solutions

PRODUKTBLAD

Action 15 47Hz-20kHz 8 Ohm

Action 15 47Hz-20kHz 8 Ohm

- 2-way, full-range system
- 15" bass loudspeaker
- Compression driver with titanium diaphragm
- Asymmetric enclosure design for stage monitor use
- Built-in rigging points
- Stand mountable

This 2-way passive full-range loudspeaker utilizes a 15" low frequency transducer and a 1" exit compression driver with titanium diaphragm. The cabinet is constructed of Birch plywood and finished with an environmentally friendly black paint finish. Two bar handles are provided and a steel grille protects components. A 35 mm tripod socket allows for stand mounting. Rigging points provide a safe and simple solution for suspending the Action 15.

RMS Power Handling: 350 W

Peak Power Handling: 1400 W

Frequency Range (-10 dB): 47 Hz – 20 kHz

Nominal Impedance: 8 ohms

On-axis Sensitivity 1 W / 1 m: 96 dB SPL

Rated Peak SPL at 1 m: 131 dB

Dispersion: 80° x 50°

Enclosure Material: Birch Plywood

Color/Finish: Black/ISO-Flex Paint

Connectors: 2 x NL4 speakON



SAC Nordic AB • Prästtorpsvägen 16 • S-341 51 Lagan • SWEDEN • www.sacnordic.com

Safe Security Solutions

PRODUKTBLAD

Action 15 47Hz-20kHz 8 Ohm

Dimensions (H x W x D): 77.4 x 44.6 x 43.6 cm

Weight: 24.5 kg



SAC Nordic AB • Prästtorpsvägen 16 • S-341 51 Lagan • SWEDEN • www.sacnordic.com

Safe Security Solutions

PRODUKTBLAD

Action 15 47Hz-20kHz 8 Ohm

Art.nr	E-nummer	Modell	Beskrivning	Mått i mm	Vikt
--------	----------	--------	-------------	-----------	------



SAC Nordic AB • Prästtorpsvägen 16 • S-341 51 Lagan • SWEDEN • www.sacnordic.com

Safe Security Solutions