



Intertek Testing & Certification Limited

Intertek House, Cleeve Road, Leatherhead, Surrey, KT22 7SB, United Kingdom

Phone : +44 (0) 1372 370900
E-mail: cpd.uk@intertek.com

Fax : +44 (0) 1372 370999
Web: www.intertek.com

EC CERTIFICATE OF CONFORMITY

0359-CPD-0140

In compliance with the Directive 89/106/EEC of the Council of European Communities of 21 December 1988 on the approximation of laws, regulations and administrative provisions of the Member States relating to the construction products (Construction Products Directive - CPD), amended by the Directive 93/68/EEC of the Council of European Communities of 22 July 1993, it has been stated that the construction product

ATEIS Europe BV DIVA8 Voice Alarm Control and Indicating Equipment
(refer to attached appendix for details and conditions)

placed on the market by:

ATEIS Europe BV
Sydneystraat 42 - 3047BP ROTTERDAM - NETHERLANDS

and produced in the factory by:

Penton Communication Incorporated
No. 28-2, Ta-Ya Road, Ta-Ya, Taichung, Taiwan

Is submitted by the manufacturer to a factory production control and to the further testing of samples taken at the factory in accordance with a prescribed test plan and that the notified body No. **0359 - Intertek Testing & Certification Ltd** – has performed the initial type- testing for the relevant characteristics of the product, the initial inspection of the factory production control and performs the continuous surveillance, assessment and approval of the factory production control.

This certificate attests that all provisions concerning the attestation of conformity and the product performance described in Annex ZA of the product standards

EN54-16: 2008

Fire detection and fire alarm systems - Voice alarm control and indicating equipment

were applied and that the product fulfils all the prescribed requirements.

This certification was issued on **19th March 2012** and remains valid as long as the conditions laid down in the harmonised technical specification above, or the product design, or the manufacturing conditions in the factory, or the FPC itself are not significantly changed.

Daniel Griffin - Schemes Manager

This Certificate is for the exclusive use of Intertek's client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Certificate. Only the Client is authorized to permit copying or distribution of this Certificate. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek.



Intertek Testing & Certification Limited

Intertek House, Cleeve Road, Leatherhead, Surrey, KT22 7SB, United Kingdom

Phone : +44 (0) 1372 370900
E-mail: cpd.uk@intertek.com

Fax : +44 (0) 1372 370999
Web: www.intertek.com

Appendix to EC Certificate of Conformity 0359-CPD-0140

The details and condition of use for the ATEIS Europe BV DIVA8 Voice Alarm Control and Indicating Equipment, placed on the market by:

ATEIS Europe BV
Sydneystraat 42 - 3047BP ROTTERDAM - NETHERLANDS

To be used in accordance with the supplier's installation instructions and in conjunction with the following bases, ancillaries, sounder tones and sensitivity settings (*where applicable*):

Model Variants:

Variant	Model description																										
DIVA 8	Voice Alarm Control and Indicating Equipment Comprising any combination of the following parts: <table><thead><tr><th>Part No.</th><th>Description</th></tr></thead><tbody><tr><td>DIVA8MG2</td><td>Master Controller</td></tr><tr><td>DIVA8SG2</td><td>Slave Controller</td></tr><tr><td>PSS-G2</td><td>Console device</td></tr><tr><td>CD8-G2</td><td>Console device</td></tr><tr><td>CD16-G2</td><td>Console device</td></tr><tr><td>DPAfour125</td><td>Power amplifier</td></tr><tr><td>DPAfour250</td><td>Power amplifier</td></tr><tr><td>SPA-2120</td><td>Power amplifier</td></tr><tr><td>SPA-2240</td><td>Power amplifier</td></tr><tr><td>PS-12750</td><td>Powerasonic 12V75AH batteries <i>Mounted in the bottom of the enclosure</i></td></tr><tr><td>DK7820.XXX</td><td>Rittal System cabinet*</td></tr><tr><td>XXX</td><td><i>denotes cabinet size</i></td></tr></tbody></table>	Part No.	Description	DIVA8MG2	Master Controller	DIVA8SG2	Slave Controller	PSS-G2	Console device	CD8-G2	Console device	CD16-G2	Console device	DPAfour125	Power amplifier	DPAfour250	Power amplifier	SPA-2120	Power amplifier	SPA-2240	Power amplifier	PS-12750	Powerasonic 12V75AH batteries <i>Mounted in the bottom of the enclosure</i>	DK7820.XXX	Rittal System cabinet*	XXX	<i>denotes cabinet size</i>
Part No.	Description																										
DIVA8MG2	Master Controller																										
DIVA8SG2	Slave Controller																										
PSS-G2	Console device																										
CD8-G2	Console device																										
CD16-G2	Console device																										
DPAfour125	Power amplifier																										
DPAfour250	Power amplifier																										
SPA-2120	Power amplifier																										
SPA-2240	Power amplifier																										
PS-12750	Powerasonic 12V75AH batteries <i>Mounted in the bottom of the enclosure</i>																										
DK7820.XXX	Rittal System cabinet*																										
XXX	<i>denotes cabinet size</i>																										

* The system cabinet must meet the following minimum requirements where an alternative cabinet is used:

- Comply with Class 3k5 of EN 60721-3-3:1995 as amended by EN 60721-3-3:1995/A2:1997.
- Complies with EN 60297-3-100 and be constructed with a minimum of 16-gauge steel, with a fully welded rack frame with fixed front to back equipment chassis carriers.
- Have a transparent lockable front door with a maximum frame size around the transparent window such that its indications are viewable at the limits specified in EN54-16: 2008.
- Have a minimum IP rating of IP 30 in accordance with EN 60529: 2000, with the front hinged door in both the open and closed position
- Removable / hinged panel(s), that are provided to gain access to part of the equipment, other than that detailed above, must use of alternative key or different lockable mechanism to that used for the front door.

To be used in accordance with the supplier's installation instructions

Conditions of use;

Suitable for indoor application

To be used in conjunction with a compliant EN54-4 power supply unit

This Certificate is for the exclusive use of Intertek's client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Certificate. Only the Client is authorized to permit copying or distribution of this Certificate. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek.



Intertek Testing & Certification Limited

Intertek House, Cleeve Road, Leatherhead, Surrey, KT22 7SB, United Kingdom

Phone : +44 (0) 1372 370900
E-mail: cpd.uk@intertek.com

Fax : +44 (0) 1372 370999
Web: www.intertek.com

Appendix to EC Certificate of Conformity 0359-CPD-0140

Option with requirements evaluated as being compliant:

Audible warning
Phased evacuation
Manual reset of the voice alarm condition
Voice alarm condition output
Indication of faults related to the transmission path of the CIE
Indication of faults related to the voice alarm zones
Interface to external control device(s)
Emergency microphones
Redundant amplifiers

Ancillary Functions:

Background music/audio and zone paging (2 simultaneous channels)

General Notes:

1. Tested under Intertek project number 10047336
2. No CE or other type approval is made or inferred outside of the attestation of conformity and the product performance as stipulated on this certificate.

Daniel Griffin - Schemes Manager

This Certificate is for the exclusive use of Intertek's client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Certificate. Only the Client is authorized to permit copying or distribution of this Certificate. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek.